ITEM DESCRIPTION

## SEARCH TERM INDEX KF-SYSTEM

NORMAG

CHAPTER PAGE

| A |   |  |  |
|---|---|--|--|
|   |   |  |  |
|   | Adaptors with GL thread   | 2  | 8  |
|   | Adaptors with hose connection   | 2  | 7  |
|   | Adaptors with KAMLOK-connection   | 2  | 10   |
|   | Adaptors with milk pipe thread  | 2  | 11   |
|   | Adaptors with threaded media connection   | 2  | 12   |
|   | Adaptors with TriClamp-PTFE connection  | 2  | 9  |
|   |   |  |  |
| В |   |  |  |
|   |   |  |  |
|   | Backing flanges, compact, die cast, glass-glass   | 3  | 20   |
|   | Backing flanges, cast, DN 400 to DN 600   | 3  | 15   |
|   | Backing flanges, glass-ANSI, stainless steel  | 3  | 18   |
|   | Backing flanges, glass-glass / glass-EN, plastic  | 3  | 14   |
|   | Backing flanges, glass-glass, silumin   | 3  | 17   |
|   | Backing flanges, glass-glass, stainless steel   | 3  | 14   |
|   | Backing flanges, glass-EN, stainless steel  | 3  | 16   |
|   | Backing flanges, undrilled, stainless steel   | 3  | 19   |
|   | Ball check valves, vertical, type VNV   | 4  | 16   |
|   | Ball check valves, horizontal/vertical, type VNH and type VNEH  | 4  | 17   |
|   | Ball valves with hand lever   | 4  | 19   |
|   | Ball valves with pneumatic actuator   | 4  | 20   |
|   | Bellows for flange connection, glass-glass  | 2  | 3  |
|   | Bellows for flange connection, glass-EN   | 2  | 4  |
|   | Bellows for flange connection, glass-ANSI<br>Bellows / compensators for media connections EN  | 2  | 5<br>6   |
|   | Bends   | 2  | 10   |
|   | Blind flanges   | 1  | 17   |
|   | Bottom outlet valves  | 4  | 22   |
|   | Bush inserts  | 9  | 9  |
|   |   | Ũ  | Ũ  |
| С |   |  |  |
| 0 |   |  |  |
|   | Contara for apporatus atrusturas  | 9  | 8  |
|   | Castors for apparatus structures  |  |  |
|   | ( 'back valves hall horizontal/vertical type V/NH and type V/NHH  | 1  |  |
|   | Check valves, ball, horizontal/vertical, type VNH and type VNEH   | 4  | 17   |
|   | Check valves, ball, vertical, type VNV  | 4  | 16   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design  | 4  | 16<br>18   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection  | 4<br>4<br>3  | 16<br>18<br>23   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI   | 4<br>4<br>3<br>3   | 16<br>18   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN  | 4<br>4<br>3  | 16<br>18<br>23<br>12   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass  | 4<br>4<br>3<br>3<br>3  | 16<br>18<br>23<br>12<br>11   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN  | 4<br>4<br>3<br>3<br>3<br>3<br>3  | 16<br>18<br>23<br>12<br>11<br>10   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3  | 16<br>18<br>23<br>12<br>11<br>10<br>13   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>4  | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3  | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4  |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>8<br>4<br>9  |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7  |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>8<br>4<br>9  |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7  |
| D | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7  |
| D | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin   | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7  |
| D | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4                          | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6   |
| D | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin<br>Couplings, stainless steel   | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3  | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4                          | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6   |
| D | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4                          | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4                          | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves   | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4                          | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6   |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves   | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6   |
|   | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves   | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4   | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6   |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4  | 16   18   23   12   11   10   13   12   13   5   8   4   9   7   6   9   6   21  |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-SP<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves  | 4<br>4<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3           | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6<br>21<br>30                             |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves<br>Flaps<br>Gaskets, flat<br>Gaskets, flat, for repeated opening and closing  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3           | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6<br>9<br>6<br>21<br>30<br>31             |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves<br>Flaps<br>Gaskets, flat<br>Gaskets, flat, for repeated opening and closing<br>Gaskets, flat, with steel core  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3                | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6<br>9<br>6<br>21<br>30<br>31<br>29       |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-EN<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves<br>Flaps<br>Gaskets, flat<br>Gaskets, flat, for repeated opening and closing  | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3           | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6<br>9<br>6<br>21<br>30<br>31             |
| F | Check valves, ball, vertical, type VNV<br>Check valves, flange insert design<br>Compression springs as bolt connection<br>Connection flange couplings, glass-ANSI<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-glass<br>Connection flange couplings, glass-undrilled flange<br>Control valves, manual<br>Control valves, with pneumatic actuator<br>Couplings, cast, DN 400 to DN 600<br>Couplings, compact, die cast<br>Couplings, plastic<br>Couplings, plastic<br>Couplings, plastic, KF- to PF<br>Couplings, silumin<br>Couplings, stainless steel<br>Double valves<br>Drain valves<br>Flaps<br>Gaskets, flat<br>Gaskets, flat, for repeated opening and closing<br>Gaskets, flat, with steel core<br>Gaskets, flat, with steel core<br>Gaskets, flat, mith steel core<br>Gaskets, flat, mith steel core | 4<br>4<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3<br>3 | 16<br>18<br>23<br>12<br>11<br>10<br>13<br>12<br>13<br>5<br>8<br>4<br>9<br>7<br>6<br>9<br>6<br>9<br>6<br>21<br>30<br>31<br>29<br>26 |

## SEARCH TERM INDEX KF-SYSTEM

|          |  | CHARTER | DAGE    |
|----------|--|---------|---------|
|          | ITEM DESCRIPTION   | Chapter | FAGE    |
| G        |  |         |         |
| -        |  |         |         |
|          | Gas mixing valves  | 4       | 24      |
|          | Glass-fibre based tape inserts                                 | 3       | 22      |
| Н        |  |         |         |
|          |  |         |         |
|          | High pressure valves   | 4       | 10      |
|          | Hoses, product   | 1       | 18      |
|          | Hoses, media   | 1       | 19      |
|          |  |         |         |
|          |  |         |         |
|          | Inserts for backing flanges                                    | 3       | 21      |
|          |  | 0       | 21      |
| L        |  |         |         |
| _        |  |         |         |
|          | Lifting lugs   | 9       | 15      |
|          | Lower support rings  | 9       | 12      |
| Μ        |  |         |         |
| IVI      |  |         |         |
|          | Media hoses  | 1       | 19      |
|          |  |         | 10      |
| Ρ        |  |         |         |
|          |  |         |         |
|          | Pipe sections  | 1       | 3       |
|          | Pipe supports  | 9       | 12      |
|          | Pipe clamps  | 9       | 9       |
|          | Pressure relief valves   | 4       | 11      |
|          | Product hoses  | 1       | 18      |
| Q        |  |         |         |
| <b>A</b> |  |         |         |
|          | Quick release coupling   | 3       | 32      |
|          |  |         |         |
| R        |  |         |         |
|          |  |         |         |
|          | Rapid closures   | 3       | 34      |
|          | Reducers, symmetrical  | 1       | 7       |
|          | Reducers, eccentric  | 1       | 7<br>10 |
|          | Reducing bend<br>Reducing sleeves as bolt connection accessory | 3       | 24      |
|          | Ring sealing gaskets with collar                               | 3       | 26      |
|          |  | -       |         |
| S        |  |         |         |
|          |  |         |         |
|          | Saddle supports  | 9       | 14      |
|          | Sampling valves  | 4       | 14      |
|          | Sampling valves for condensable gases                          | 4       | 15      |
|          | Screw caps<br>Spacers  | 3       | 33<br>5 |
|          | Spacers, universal   | 1       | 5       |
|          | Splash guard for backing flange couplings glass-glass          | 3       | 25      |
|          | Straight through valves, on/off                                | 4       | 4       |
|          | Straight through valves, on/off, pneumatic                     | 4       | 5       |
|          | Structure fittings   | 9       | 6       |
|          | Structure tubings<br>Supporting rings, lower                   | 9<br>9  | 5<br>13 |
|          | Supporting rings, for spherical vessels                        | 9       | 13      |
|          | Support brackets   | 9       | 11      |
|          |  |         |         |
| Т        |  |         |         |
|          |  |         |         |
|          | T pieces   | 1       | 13      |
|          | Three way valve, On/Off  | 4       | 8<br>28 |
|          | Transition gasket, glass-Enamle                                | 3       | 20      |

## SEARCH TERM INDEX KF-SYSTEM

NORMAG

CHAPTER PAGE

**ITEM DESCRIPTION** 

| U |  |   |    |
|---|--|---|----|
|   |  |   |    |
|   | U bends                                      | 1 | 10 |
|   | U bends with outlet                          | 1 | 10 |
|   | Universal transition gasket KF to PF flanges | 3 | 27 |
|   |  |   |    |
| V |  |   |    |
|   |  |   |    |
|   | Vent valves                                  | 4 | 7  |
|   | Vessel holder                                | 9 | 13 |
|   |  |   |    |
|   |  |   |    |
| Х |  |   |    |
|   |  |   |    |
|   | X pieces                                     | 1 | 13 |
|   |  |   |    |
| Y |  |   |    |
|   |  |   |    |
|   | Ypieces                                      | 1 | 16 |